

Calico

BASK

Tear Sheets



Donec traces the interplay of architecture, light, and shadow.




BUFF



FIRSTLIGHT



HOURGLASS




NOCTURNE



STERLING




STRIATE



SUNSET

Bask Buff

Suitable for residential and commercial projects



COLOR

Buff

ITEM

5401

CONTENT

Type II Vinyl

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

ENVIRONMENTAL

Recycled Content

Phthalate Free

Low VOC

HPD Available

SPECS

Commercial Vinyl face

Polyester/Cotton woven backing

20 oz per linear yard

620 g per linear meter

Dappled surface texture

TESTING

(US) ASTM E84 Adhered Class A

(EU) EN 15102 Class B, s2

(CN) CAN/ULC-S102.2 Class A

CCC-W-408D Type II

WA Specification W-101 Type II

NFPA 286 Corner Burn Test Class A

MAINTENANCE

Water-based cleanser

CONTACT

sales@calicowallpaper.com

+1 718 243 1705

57 Lispenard Street

New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork.

Reference the physical sample


for color and texture. Panel

maps represent mural

artwork only.

Bask Firstlight

Suitable for residential and commercial projects



COLOR

Firstlight

ITEM

5402

CONTENT

Type II Vinyl

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

ENVIRONMENTAL

Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS

Commercial Vinyl face
Polyester/Cotton woven backing
20 oz per linear yard
620 g per linear meter
Dappled surface texture

TESTING

(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A

MAINTENANCE

Water-based cleanser

CONTACT


sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Bask Hourglass

Suitable for residential and commercial projects



COLOR
Hourglass

ITEM
5403

CONTENT
Type II Vinyl

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

ENVIRONMENTAL
Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS
Commercial Vinyl face
Polyester/Cotton woven backing
20 oz per linear yard
620 g per linear meter
Dappled surface texture

TESTING
(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A


MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Bask Nocturne

Suitable for residential and commercial projects



COLOR
Nocturne

ITEM
5404

CONTENT
Type II Vinyl

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

ENVIRONMENTAL
Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS
Commercial Vinyl face
Polyester/Cotton woven backing
20 oz per linear yard
620 g per linear meter
Dappled surface texture

TESTING
(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A


MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Bask Sterling

Suitable for residential and commercial projects



COLOR
Sterling

ITEM
5405

CONTENT
Type II Vinyl

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

ENVIRONMENTAL
Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS
Commercial Vinyl face
Polyester/Cotton woven backing
20 oz per linear yard
620 g per linear meter
Dappled surface texture

TESTING
(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A


MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Bask Striate

Suitable for residential and commercial projects



COLOR
Striate

ITEM
5406

CONTENT
Type II Vinyl

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

ENVIRONMENTAL
Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS
Commercial Vinyl face
Polyester/Cotton woven backing
20 oz per linear yard
620 g per linear meter
Dappled surface texture

TESTING
(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A


MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Bask Sunset

Suitable for residential and commercial projects



COLOR
Sunset

ITEM
5407

CONTENT
Type II Vinyl

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

ENVIRONMENTAL
Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS
Commercial Vinyl face
Polyester/Cotton woven backing
20 oz per linear yard
620 g per linear meter
Dappled surface texture

TESTING
(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A

MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.