Calico

DIAPHANOUS

Tear Sheets



Diaphanous — a study in light, movement, and shadow



EFFLORESCE



EFFULGENCE



ELUDE



INCANDESCENCE



LAMBENT



REDOLENCE



TRANSIENT

Diaphanous Effloresce

Suitable for residential and commercial projects



COLOR
Effloresce

ITEM
9041

CONTENT
Type II PVC-Free

PANEL WIDTH
51″ / 1295 mm trimmed

PANEL HEIGHT
108″ / 2743 mm base
132″ / 3353 mm standard
192″ / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
EPD & HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4

SPECS
Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING
ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Diaphanous Effulgence

Suitable for residential and commercial projects



COLOR
Effulgence

ITEM
9042

CONTENT
Type II PVC-Free

PANEL WIDTH
51″ / 1295 mm trimmed

PANEL HEIGHT
108″ / 2743 mm base
132″ / 3353 mm standard
192″ / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
EPD & HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4

SPECS
Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING
ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Diaphanous Elude

Suitable for residential and commercial projects



COLOR
Elude

ITEM
9043

CONTENT
Type II PVC-Free

PANEL WIDTH
51″ / 1295 mm trimmed

PANEL HEIGHT
108″ / 2743 mm base
132″ / 3353 mm standard
192″ / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
EPD & HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4

SPECS
Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING
ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Diaphanous Incandescence

Suitable for residential and commercial projects



COLOR
Incandescence

ITEM
9044

CONTENT
Type II PVC-Free

PANEL WIDTH
51″ / 1295 mm trimmed

PANEL HEIGHT
108″ / 2743 mm base
132″ / 3353 mm standard
192″ / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
EPD & HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4

SPECS
Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING
ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Diaphanous Lambent

Suitable for residential and commercial projects



COLOR
Lambent

ITEM
9045

CONTENT
Type II PVC-Free

PANEL WIDTH
51″ / 1295 mm trimmed

PANEL HEIGHT
108″ / 2743 mm base
132″ / 3353 mm standard
192″ / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
EPD & HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4

SPECS
Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING
ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Diaphanous Redolence

Suitable for residential and commercial projects



COLOR
Redolence

ITEM
9046

CONTENT
Type II PVC-Free

PANEL WIDTH
51″ / 1295 mm trimmed

PANEL HEIGHT
108″ / 2743 mm base
132″ / 3353 mm standard
192″ / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
EPD & HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4

SPECS
Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING
ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Diaphanous Transient

Suitable for residential and commercial projects



COLOR
Transient

ITEM
9047

CONTENT
Type II PVC-Free

PANEL WIDTH
51″ / 1295 mm trimmed

PANEL HEIGHT
108″ / 2743 mm base
132″ / 3353 mm standard
192″ / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
EPD & HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4

SPECS
Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING
ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.