

Calico

LUMINOUS


Tear Sheets




Luminous celebrates the profound beauty of individuality — the singular glow that each person carries.




AWAKEN




BEAM




BRILLIANT



EMANATE




FLASH



LUCENT

Luminous Awaken

Suitable for residential and commercial projects



COLOR
Awaken

ITEM
8641

CONTENT
Type II PVC-Free

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
108" / 2743 mm base
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

MAINTENANCE
Water-based cleanser

ENVIRONMENTAL
HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4
Post-Consumer Recycled Content


SPECS
Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING
ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Luminous Beam

Suitable for residential and commercial projects



COLOR

Beam

ITEM

8642

CONTENT

Type II PVC-Free

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

108" / 2743 mm base
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

MAINTENANCE

Water-based cleanser

ENVIRONMENTAL

HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4
Post-Consumer Recycled Content

SPECS

Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING


ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Luminous Brilliant

Suitable for residential and commercial projects



COLOR

Brilliant

ITEM

8643

CONTENT

Type II PVC-Free

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

108" / 2743 mm base
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

MAINTENANCE

Water-based cleanser

ENVIRONMENTAL

HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4
Post-Consumer Recycled Content

SPECS

Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING


ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Luminous Emanate

Suitable for residential and commercial projects



COLOR

Emanate

ITEM

8644

CONTENT

Type II PVC-Free

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

108" / 2743 mm base
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

MAINTENANCE

Water-based cleanser

ENVIRONMENTAL

HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4
Post-Consumer Recycled Content

SPECS

Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING


ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Luminous Flash

Suitable for residential and commercial projects



COLOR

Flash

ITEM

8645

CONTENT

Type II PVC-Free

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

108" / 2743 mm base
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

MAINTENANCE

Water-based cleanser

ENVIRONMENTAL

HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4
Post-Consumer Recycled Content

SPECS

Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING


ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Luminous Lucent

Suitable for residential and commercial projects



COLOR

Lucent

ITEM

8646

CONTENT

Type II PVC-Free

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

108" / 2743 mm base
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

MAINTENANCE

Water-based cleanser

ENVIRONMENTAL

HPD Available
Declare Label
Red List Free
Low VOC
Contributes to LEED v4
Post-Consumer Recycled Content

SPECS

Olefin Composite Face
Polyester/Cotton Woven Backing
13.33 oz/yd²
452 g/m²
Stippled Surface Texture

TESTING

ASTM E84 Adhered Class A
CAN/ULC-S102
EN 15102 Class B, s1 d0
CDPH CA Section 01350

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.