

Calico

LYRIC

Tear Sheets



Lyric celebrates the sculpted shapes that meld into the Mediterranean mountainside.



ARCADÉ



ARCHWAY



ATRIUM



CUPULA



DOME




DORIC



STOA

Lyric Arcade

Suitable for residential and some commercial projects



COLOR
Arcade

STOCK
Made to order

MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM
6008

LEAD TIME
4 weeks to print

ENVIRONMENTAL
FSC Certified Content

CONTENT
Clay-Coated Paper

MINIMUM
1 panel

SPECS
100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH
26" / 661 mm trimmed

PRICE
Available upon request

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN
USA


TESTING
(US) ASTM E84 Adhered Class A

REPEAT
Non-repeating

DETAILS
Custom options available

Lyric Archway

Suitable for residential and some commercial projects



COLOR

Archway

STOCK

Made to order

MAINTENANCE

Water-based cleanser

CONTACT

sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM

6009

LEAD TIME

4 weeks to print

ENVIRONMENTAL

FSC Certified Content

CONTENT

Clay-Coated Paper

MINIMUM

1 panel

SPECS

100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH

26" / 661 mm trimmed

PRICE

Available upon request

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN

USA

TESTING

(US) ASTM E84 Adhered Class A

REPEAT


Non-repeating

DETAILS

Custom options available

Lyric Atrium

Suitable for residential and some commercial projects



COLOR
Atrium

STOCK
Made to order

MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM
6010

LEAD TIME
4 weeks to print

ENVIRONMENTAL
FSC Certified Content

CONTENT
Clay-Coated Paper

MINIMUM
1 panel

SPECS
100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH
26" / 661 mm trimmed

PRICE
Available upon request

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN
USA


TESTING
(US) ASTM E84 Adhered Class A

REPEAT
Non-repeating

DETAILS
Custom options available

Lyric Cupula

Suitable for residential and some commercial projects



COLOR
Cupula

STOCK
Made to order

MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM
6011

LEAD TIME
4 weeks to print

ENVIRONMENTAL
FSC Certified Content

CONTENT
Clay-Coated Paper

MINIMUM
1 panel

SPECS
100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH
26" / 661 mm trimmed

PRICE
Available upon request

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN
USA


TESTING
(US) ASTM E84 Adhered Class A

REPEAT
Non-repeating

DETAILS
Custom options available

Lyric Dome

Suitable for residential and some commercial projects



COLOR
Dome

STOCK
Made to order

MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM
6012

LEAD TIME
4 weeks to print

ENVIRONMENTAL
FSC Certified Content

CONTENT
Clay-Coated Paper

MINIMUM
1 panel

SPECS
100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH
26" / 661 mm trimmed

PRICE
Available upon request

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN
USA


TESTING
(US) ASTM E84 Adhered Class A

REPEAT
Non-repeating

DETAILS
Custom options available

Lyric Doric

Suitable for residential and some commercial projects



COLOR
Doric

STOCK
Made to order

MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM
6013

LEAD TIME
4 weeks to print

ENVIRONMENTAL
FSC Certified Content

CONTENT
Clay-Coated Paper

MINIMUM
1 panel

SPECS
100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH
26" / 661 mm trimmed

PRICE
Available upon request

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN
USA


TESTING
(US) ASTM E84 Adhered Class A

REPEAT
Non-repeating

DETAILS
Custom options available

Lyric Stoa

Suitable for residential and some commercial projects



COLOR
Stoa

STOCK
Made to order

MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

ITEM
6014

LEAD TIME
4 weeks to print

ENVIRONMENTAL
FSC Certified Content

CONTENT
Clay-Coated Paper

MINIMUM
1 panel

SPECS
100% Cellulose face
Non-woven backing
7.1 oz per linear yard
117 g per linear meter
Smooth surface texture

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH
26" / 661 mm trimmed

PRICE
Available upon request

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN
USA

TESTING
(US) ASTM E84 Adhered Class A

REPEAT
Non-repeating

DETAILS
Custom options available