

Calico

MIRA & MILOŠ


Tear Sheets



Mira & Miloš plays with gradual color shifts within a line.




BADEM




GLINA



LED




PEPERMINT



ROZE




SIVA



TAMA



TVID




VETAR



ZORA

Mira & Miloš Badem

Suitable for residential and commercial projects



COLOR
Badem

ITEM
2101

CONTENT
Type II Vinyl

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

ENVIRONMENTAL
Low VOC
Cadmium & Lead Free
Formulation

SPECS
Commercial Vinyl face
Polyester/Cotton woven backing
21 oz per linear yard
651 g per linear meter
Woven surface texture

TESTING
(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A


MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispernard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Mira & Miloš Glina

Suitable for residential and commercial projects



COLOR
Glina

ITEM
2102

CONTENT
Type II Vinyl

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

ENVIRONMENTAL
Low VOC
Cadmium & Lead Free
Formulation

SPECS
Commercial Vinyl face
Polyester/Cotton woven backing
21 oz per linear yard
651 g per linear meter
Woven surface texture

TESTING
(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A


MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Mira & Miloš Led

Suitable for residential and commercial projects



COLOR

Led

ITEM

2103

CONTENT

Type II Vinyl

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

ENVIRONMENTAL

Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS

Commercial Vinyl face
Non-woven backing
20 oz per linear yard
620 g per linear meter
Smooth reflective metallic texture

TESTING

(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II

MAINTENANCE

Water-based cleanser

CONTACT


sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Mira & Miloš Pepermint

Suitable for residential and commercial projects



COLOR
Pepermint

ITEM
2104

CONTENT
Type II Vinyl

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

ENVIRONMENTAL
Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS
Commercial Vinyl face
Non-woven backing
20 oz per linear yard
620 g per linear meter
Smooth reflective metallic texture

TESTING
(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II


MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Mira & Miloš Roze

Suitable for residential and commercial projects



COLOR

Roze

ITEM

2105

CONTENT

Type II Vinyl

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

ENVIRONMENTAL

Low VOC
Cadmium & Lead Free
Formulation

SPECS

Commercial Vinyl face
Polyester/Cotton woven backing
21 oz per linear yard
651 g per linear meter
Woven surface texture

TESTING

(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A

MAINTENANCE

Water-based cleanser

CONTACT


sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Mira & Miloš Siva

Suitable for residential and commercial projects



COLOR
Siva

ITEM
2106

CONTENT
Type II Vinyl

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

ENVIRONMENTAL
Low VOC
Cadmium & Lead Free
Formulation

SPECS
Commercial Vinyl face
Polyester/Cotton woven backing
21 oz per linear yard
651 g per linear meter
Woven surface texture

TESTING
(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A


MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Mira & Miloš Tama

Suitable for residential and commercial projects



COLOR

Tama

ITEM

2107

CONTENT

Type II Vinyl

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

ENVIRONMENTAL

Low VOC
Cadmium & Lead Free
Formulation

SPECS

Commercial Vinyl face
Polyester/Cotton woven backing
21 oz per linear yard
651 g per linear meter
Woven surface texture

TESTING

(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A

MAINTENANCE

Water-based cleanser

CONTACT


sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Mira & Miloš Tvid

Suitable for residential and commercial projects



COLOR

Tvid

ITEM

2108

CONTENT

Type II Vinyl

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

ENVIRONMENTAL

Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS

Commercial Vinyl face
Non-woven backing
20 oz per linear yard
620 g per linear meter
Smooth reflective metallic texture

TESTING

(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II

MAINTENANCE

Water-based cleanser

CONTACT


sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

Mira & Miloš Vetar

Suitable for residential and commercial projects



COLOR

Vetar

STOCK

Made to order

ENVIRONMENTAL

Recycled Content
Phthalate Free
Low VOC
HPD Available

MAINTENANCE

Water-based cleanser

ITEM

2109

LEAD TIME

4 weeks to print

SPECS

Commercial Vinyl face
Non-woven backing
20 oz per linear yard
620 g per linear meter
Smooth reflective metallic texture

CONTACT

sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

CONTENT

Type II Vinyl

MINIMUM

1 panel

PANEL WIDTH

51" / 1295 mm trimmed

PRICE

Available upon request

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN

USA

TESTING

(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II

REPEAT


Non-repeating

DETAILS

Custom options available

Mira & Miloš Zora

Suitable for residential and commercial projects



COLOR

Zora

ITEM

2110

CONTENT

Type II Vinyl

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

ENVIRONMENTAL

Low VOC
Cadmium & Lead Free
Formulation

SPECS

Commercial Vinyl face
Polyester/Cotton woven backing
21 oz per linear yard
651 g per linear meter
Woven surface texture

TESTING

(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II
NFPA 286 Corner Burn Test Class A

MAINTENANCE

Water-based cleanser

CONTACT

sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.