

Calico

SWAY

Tear Sheets



Sway — the gentle rhythm of
branches in the breeze, woven into
tactile beauty



AURELINE



BOWER



BRAMBLE



GLADE



LIMINAL




REED



VEER

Sway Aureline


Suitable for residential and commercial projects



COLOR Aureline	STOCK Made to order	ENVIRONMENTAL HPD Available Declare Label Red List Free Low VOC Contributes to LEED v4 Post-Consumer Recycled Content	DISCLAIMER Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.
ITEM 8941	LEAD TIME 4 weeks to print	SPECS Olefin Composite Face Polyester/Cotton Woven Backing 13.33 oz/yd ² 452 g/m ² Stippled Surface Texture	
CONTENT Type II PVC Free	MINIMUM 1 panel	TESTING ASTM E84 Adhered Class A CAN/ULC-S102 EN 15102 Class B, s1 d0 CDPH CA Section 01350	
PANEL WIDTH 51" / 1295 mm trimmed	PRICE Available upon request		
PANEL HEIGHT 108" / 2743 mm base 132" / 3353 mm standard 192" / 4877 mm extended	ORIGIN USA		
REPEAT Non-repeating	DETAILS Custom options available		
	MAINTENANCE Water-based cleanser		

Sway Bower


Suitable for residential and commercial projects



COLOR Bower	STOCK Made to order	ENVIRONMENTAL HPD Available Declare Label Red List Free Low VOC Contributes to LEED v4 Post-Consumer Recycled Content	DISCLAIMER Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.
ITEM 8942	LEAD TIME 4 weeks to print		
CONTENT Type II PVC Free	MINIMUM 1 panel		
PANEL WIDTH 51" / 1295 mm trimmed	PRICE Available upon request	SPECS Olefin Composite Face Polyester/Cotton Woven Backing 13.33 oz/yd ² 452 g/m ² Stippled Surface Texture	
PANEL HEIGHT 108" / 2743 mm base 132" / 3353 mm standard 192" / 4877 mm extended	ORIGIN USA		
REPEAT Non-repeating	DETAILS Custom options available	TESTING ASTM E84 Adhered Class A CAN/ULC-S102 EN 15102 Class B, s1 d0 CDPH CA Section 01350	
	MAINTENANCE Water-based cleanser		

Sway Bramble


Suitable for residential and commercial projects



COLOR Bramble	STOCK Made to order	ENVIRONMENTAL HPD Available Declare Label Red List Free Low VOC Contributes to LEED v4 Post-Consumer Recycled Content	DISCLAIMER Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.
ITEM 8943	LEAD TIME 4 weeks to print		
CONTENT Type II PVC Free	MINIMUM 1 panel		
PANEL WIDTH 51" / 1295 mm trimmed	PRICE Available upon request	SPECS Olefin Composite Face Polyester/Cotton Woven Backing 13.33 oz/yd ² 452 g/m ² Stippled Surface Texture	
PANEL HEIGHT 108" / 2743 mm base 132" / 3353 mm standard 192" / 4877 mm extended	ORIGIN USA	TESTING ASTM E84 Adhered Class A CAN/ULC-S102 EN 15102 Class B, s1 d0 CDPH CA Section 01350	
REPEAT Non-repeating	DETAILS Custom options available		
	MAINTENANCE Water-based cleanser		

Sway Glade


Suitable for residential and commercial projects



COLOR Glade	STOCK Made to order	ENVIRONMENTAL HPD Available Declare Label Red List Free Low VOC Contributes to LEED v4 Post-Consumer Recycled Content	DISCLAIMER Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.
ITEM 8944	LEAD TIME 4 weeks to print		
CONTENT Type II PVC Free	MINIMUM 1 panel		
PANEL WIDTH 51" / 1295 mm trimmed	PRICE Available upon request	SPECS Olefin Composite Face Polyester/Cotton Woven Backing 13.33 oz/yd ² 452 g/m ² Stippled Surface Texture	
PANEL HEIGHT 108" / 2743 mm base 132" / 3353 mm standard 192" / 4877 mm extended	ORIGIN USA	TESTING ASTM E84 Adhered Class A CAN/ULC-S102 EN 15102 Class B, s1 d0 CDPH CA Section 01350	
REPEAT Non-repeating	DETAILS Custom options available		
	MAINTENANCE Water-based cleanser		

Sway Liminal


Suitable for residential and commercial projects



COLOR Liminal	STOCK Made to order	ENVIRONMENTAL HPD Available Declare Label Red List Free Low VOC Contributes to LEED v4 Post-Consumer Recycled Content	DISCLAIMER Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.
ITEM 8945	LEAD TIME 4 weeks to print		
CONTENT Type II PVC Free	MINIMUM 1 panel	SPECS Olefin Composite Face Polyester/Cotton Woven Backing 13.33 oz/yd ² 452 g/m ² Stippled Surface Texture	
PANEL WIDTH 51" / 1295 mm trimmed	PRICE Available upon request	TESTING ASTM E84 Adhered Class A CAN/ULC-S102 EN 15102 Class B, s1 d0 CDPH CA Section 01350	
PANEL HEIGHT 108" / 2743 mm base 132" / 3353 mm standard 192" / 4877 mm extended	ORIGIN USA		
REPEAT Non-repeating	DETAILS Custom options available		
	MAINTENANCE Water-based cleanser		

Sway Reed


Suitable for residential and commercial projects



COLOR Reed	STOCK Made to order	ENVIRONMENTAL HPD Available Declare Label Red List Free Low VOC Contributes to LEED v4 Post-Consumer Recycled Content	DISCLAIMER Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.
ITEM 8946	LEAD TIME 4 weeks to print		
CONTENT Type II PVC Free	MINIMUM 1 panel	SPECS Olefin Composite Face Polyester/Cotton Woven Backing 13.33 oz/yd ² 452 g/m ² Stippled Surface Texture	
PANEL WIDTH 51" / 1295 mm trimmed	PRICE Available upon request	TESTING ASTM E84 Adhered Class A CAN/ULC-S102 EN 15102 Class B, s1 d0 CDPH CA Section 01350	
PANEL HEIGHT 108" / 2743 mm base 132" / 3353 mm standard 192" / 4877 mm extended	ORIGIN USA		
REPEAT Non-repeating	DETAILS Custom options available		
	MAINTENANCE Water-based cleanser		

Sway Veer

Suitable for residential and commercial projects



COLOR Veer	STOCK Made to order	ENVIRONMENTAL HPD Available Declare Label Red List Free Low VOC Contributes to LEED v4 Post-Consumer Recycled Content	DISCLAIMER Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.
ITEM 8947	LEAD TIME 4 weeks to print	SPECS Olefin Composite Face Polyester/Cotton Woven Backing 13.33 oz/yd ² 452 g/m ² Stippled Surface Texture	
CONTENT Type II PVC Free	MINIMUM 1 panel	TESTING ASTM E84 Adhered Class A CAN/ULC-S102 EN 15102 Class B, s1 d0 CDPH CA Section 01350	
PANEL WIDTH 51" / 1295 mm trimmed	PRICE Available upon request		
PANEL HEIGHT 108" / 2743 mm base 132" / 3353 mm standard 192" / 4877 mm extended	ORIGIN USA		
REPEAT Non-repeating	DETAILS Custom options available		
	MAINTENANCE Water-based cleanser		