

Calico

IMPRESSION

Tear Sheets



Impression is an immersion
in the abstract language
of the senses.



AMBIANCE



DAPPLE



GLIMPSE



HARMONY




IMBUE



INFUSE

Impression Ambiance

Suitable for residential and commercial projects



COLOR
Ambiance

ITEM
5607

CONTENT
Type II Vinyl

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

ENVIRONMENTAL
Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS
Commercial Vinyl face
Non-woven backing
20 oz per linear yard
620 g per linear meter
Smooth reflective metallic texture

TESTING
(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II


MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to
see the full mural artwork.
Reference the physical sample
for color and texture. Panel
maps represent mural
artwork only.

Impression Dapple

Suitable for residential and commercial projects



COLOR

Dapple

ITEM

5608

CONTENT

Type II Vinyl

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

ENVIRONMENTAL

Recycled Content

Phthalate Free

Low VOC

HPD Available

SPECS

Commercial Vinyl face

Non-woven backing

20 oz per linear yard

620 g per linear meter

Smooth reflective metallic texture

TESTING

(US) ASTM E84 Adhered Class A

(EU) EN 15102 Class B, s2

(CN) CAN/ULC-S102.2 Class A

CCC-W-408D Type II

WA Specification W-101 Type II

MAINTENANCE

Water-based cleanser

CONTACT

sales@calicowallpaper.com

+1 718 243 1705

57 Lispenard Street

New York, NY 10013 USA

DISCLAIMER

Refer to our website to

see the full mural artwork.

Reference the physical sample


for color and texture. Panel

maps represent mural

artwork only.

Impression Glimpse

Suitable for residential and commercial projects



COLOR

Glimpse

ITEM

5609

CONTENT

Type II Vinyl

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

ENVIRONMENTAL

Recycled Content

Phthalate Free

Low VOC

HPD Available

SPECS

Commercial Vinyl face

Non-woven backing

20 oz per linear yard

620 g per linear meter

Smooth reflective metallic texture

TESTING

(US) ASTM E84 Adhered Class A

(EU) EN 15102 Class B, s2

(CN) CAN/ULC-S102.2 Class A

CCC-W-408D Type II

WA Specification W-101 Type II

MAINTENANCE

Water-based cleanser

CONTACT

sales@calicowallpaper.com

+1 718 243 1705

57 Lispenard Street

New York, NY 10013 USA

DISCLAIMER

Refer to our website to

see the full mural artwork.

Reference the physical sample


for color and texture. Panel

maps represent mural

artwork only.

Impression Harmony

Suitable for residential and commercial projects



COLOR
Harmony

ITEM
5610

CONTENT
Type II Vinyl

PANEL WIDTH
51" / 1295 mm trimmed

PANEL HEIGHT
132" / 3353 mm standard
192" / 4877 mm extended

REPEAT
Non-repeating

STOCK
Made to order

LEAD TIME
4 weeks to print

MINIMUM
1 panel

PRICE
Available upon request

ORIGIN
USA

DETAILS
Custom options available

ENVIRONMENTAL
Recycled Content
Phthalate Free
Low VOC
HPD Available

SPECS
Commercial Vinyl face
Non-woven backing
20 oz per linear yard
620 g per linear meter
Smooth reflective metallic texture

TESTING
(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II


MAINTENANCE
Water-based cleanser

CONTACT
sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

DISCLAIMER
Refer to our website to
see the full mural artwork.
Reference the physical sample
for color and texture. Panel
maps represent mural
artwork only.

Impression Imbue

Suitable for residential and commercial projects



COLOR

Imbue

ITEM

5611

CONTENT

Type II Vinyl

PANEL WIDTH

51" / 1295 mm trimmed

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

REPEAT

Non-repeating

STOCK

Made to order

LEAD TIME

4 weeks to print

MINIMUM

1 panel

PRICE

Available upon request

ORIGIN

USA

DETAILS

Custom options available

ENVIRONMENTAL

Recycled Content

Phthalate Free

Low VOC

HPD Available

SPECS

Commercial Vinyl face

Non-woven backing

20 oz per linear yard

620 g per linear meter

Smooth reflective metallic texture

TESTING

(US) ASTM E84 Adhered Class A

(EU) EN 15102 Class B, s2

(CN) CAN/ULC-S102.2 Class A

CCC-W-408D Type II

WA Specification W-101 Type II

MAINTENANCE

Water-based cleanser

CONTACT

sales@calicowallpaper.com

+1 718 243 1705

57 Lispenard Street

New York, NY 10013 USA

DISCLAIMER

Refer to our website to

see the full mural artwork.

Reference the physical sample


for color and texture. Panel

maps represent mural

artwork only.

Impression Infuse

Suitable for residential and commercial projects



COLOR

Infuse

STOCK

Made to order

ENVIRONMENTAL

Recycled Content
Phthalate Free
Low VOC
HPD Available

MAINTENANCE

Water-based cleanser

ITEM

5612

LEAD TIME

4 weeks to print

SPECS

Commercial Vinyl face
Non-woven backing
20 oz per linear yard
620 g per linear meter
Smooth reflective metallic texture

CONTACT

sales@calicowallpaper.com
+1 718 243 1705
57 Lispenard Street
New York, NY 10013 USA

CONTENT

Type II Vinyl

MINIMUM

1 panel

DISCLAIMER

Refer to our website to see the full mural artwork. Reference the physical sample for color and texture. Panel maps represent mural artwork only.

PANEL WIDTH

51" / 1295 mm trimmed

PRICE

Available upon request

PANEL HEIGHT

132" / 3353 mm standard
192" / 4877 mm extended

ORIGIN

USA

DETAILS

Custom options available

REPEAT

Non-repeating

TESTING

(US) ASTM E84 Adhered Class A
(EU) EN 15102 Class B, s2
(CN) CAN/ULC-S102.2 Class A
CCC-W-408D Type II
WA Specification W-101 Type II